ELSEVIER

International Journal of Biological Macromolecules
18 (1996) 315–316

INTERNATIONAL JOURNAL OF
Biological
Macromolecules
STRUCTURE, FUNCTION AND INTERACTIONS

Author index

Volume 18 (1996)

Aiba, S., see Gotoh, Y. **18**, 19
Ali, R., see Shah, M.A. **18**, 77
Alves, O.C., see Wajnberg, E. **18**, 231
André, I., J.L. Putaux, H. Chanzy, F.R. Taravel, J.W. Timmermans, D. de Wit, Single crystals of inulin **18**, 195
Argomaniz, L., see Montero, C. **18**, 255
Argos, P., see Dandekar, T. **18**, 1
Armstrong, H.J., see Easa, A.M. **18**, 297

Balaji, P.V., P.K. Qasba, V.S.R. Rao, Molecular dynamics simulations of hybrid and complex type oligosaccharides **18**, 101
Barritault, D., see Meddahi, A. **18**, 141
Bemski, G., see Wajnberg, E. **18**, 231
Blackwell, J., see McCullagh, C.M. **18**, 247
Borgström, J., L. Piculell, C. Viebke, Y. Talmon, On the structure of aggregated kappa-carrageenan helices. A study by cryo-TEM, optical rotation and viscometry **18**, 223
Bozzi, L., M. Milas, M. Rinaudo, Characterization and solution properties of a new exopolysaccharide excreted by the bacterium *Alteromonas* sp. strain 1644 **18**, 9
Bozzi, L., M. Milas, M. Rinaudo, Solution and gel rheology of a new polysaccharide excreted by the bacterium *Alteromonas sp.* strain 1644 **18**, 83
Brownsey, G.J., see Ridout, M.J. **18**, 5

Caruelle, J.-P., see Meddahi, A. **18**, 141
Chang, D.K., see Jayaraman, G. **18**, 303
Chanzy, H., see André, I. **18**, 195
Chanzy, H., see Hulleman, S.H.D. **18**, 115
Christensen, B.E., O. Smidsrød, Dependence of the content of unsubstituted (cellulosic) regions in prehydrolysed xanthans on the rate of hydrolysis by *Trichoderma reesei* endoglucanase **18**, 93
Cornec, M., see Hargreaves, J. **18**, 69

Dandekar, T., P. Argos, Ab initio tertiary-fold prediction of helical and non-helical protein chains using a genetic algorithm **18**, 1
de Wit, D., see André, I. **18**, 195
del Río, J.M., see Pombo, C. **18**, 55
Denef, B., N. Mischenko, M.H.J. Koch, H. Reynaers, Small-angle X-ray scattering of κ- and ι-carrageenan in aqueous and in salt solutions **18**, 151
Desbrières, J., see Fringant, C. **18**, 281

Easa, A.M., H.J. Armstrong, J.R. Mitchell, S.E. Hill, S.E. Harding, A.J. Taylor, Maillard induced complexes of bovine serum albumin — A dilute solution study **18**, 297
El-Jaick, L.J., see Wajnberg, E. **18**, 231
Elliott, G.F., see Worthington, C.R. **18**, 123
Escoubes, M., see Fringant, C. **18**, 281

Farnsworth, P.N., see Singh, K. **18**, 205
Fernandez, Y., J.M. Ricart, J.J. Perez, Computational study of the conformational profiles of model bis-cystine cyclic peptides **18**, 263
Fiebrig, I., see Jumel, K. **18**, 133
Fringant, C., J. Desbrières, M. Milas, M. Rinaudo, C. Joly, M. Escoubes, Characterisation of sorbed water molecules on neutral and ionic polysaccharides **18**, 281

Garza, S., see Ridout, M.J. **18**, 5
Gotoh, Y., M. Tsukada, S. Aiba, N. Minoura, Chemical modification of silk fibroin with *N*-acetyl-chito-oligosaccharides **18**, 19
Groth-Vasselli, B., see Singh, K. **18**, 205
Gupta, R., see McCullagh, C.M. **18**, 247

Håkansson, K., Distribution of solvent and ligand molecules around aromatic side chains in proteins and its implication on carbonic anhydrase catalytic mechanism **18**, 189
Harding, S.E., see Easa, A.M. **18**, 297
Harding, S.E., see Jumel, K. **18**, 133
Hargreaves, J., Y. Popineau, M. Cornec, J. Lefebvre, Relations between aggregative, viscoelastic and molecular properties in gluten from genetic variants of bread wheat **18**, 69
Helbert, W., see Hulleman, S.H.D. **18**, 115
Hill, S.E., see Easa, A.M. **18**, 297
Hirano, S., see Zhang, M. **18**, 307
Hornebeck, W., see Meddahi, A. **18**, 141
Hulleman, S.H.D., W. Helbert, H. Chanzy, Single crystals of V amylose complexed with glycerol **18**, 115

Iwata, K., T. Sawadaishi, S.-I. Nishimura, S. Tokura, N. Nishi, Utilization of DNA as functional materials: preparation of filters containing DNA insolubilized with alginic acid gel **18**, 149

Jamieson, A.M., see McCullagh, C.M. **18**, 247
Jaroszyk, F., see Marzec, E. **18**, 27
Jayaraman, G., T.K.S. Kumar, T. Sivaraman, W.Y. Lin, D.K. Chang, C. Yu, Thermal denaturation of an all β-sheet protein — identification of a stable partially structured intermediate at high temperature **18**, 303
Joly, C., see Fringant, C. **18**, 281
Jones, M.N., see Pombo, C. **18**, 55
Jumel, K., I. Fiebrig, S.E. Harding, Rapid size distribution and purity analysis of gastric mucus glycoproteins by size exclusion chromatography/multi angle laser light scattering **18**, 133

Kadowaki, K., see Zhang, M. **18**, 307
Kakuchi, T., S. Umeda, T. Satoh, K. Yokota, T. Yuhta, A. Kikuchi, S. Murabayashi, Lymphocyte activation effect of (1→6)-2,5-

0141-8130/96/$15.00 © 1996 Elsevier Science B.V. All rights reserved

anhydro-D-glucitol and it derivatives with 3,4-di-*O*-methyl and sulfate groups **18**, 147
Kikuchi, A., see Kakuchi, T. **18**, 147
Kobayashi, I., see Tanaka, N. **18**, 275
Koch, M.H.J., see Denef, B. **18**, 151
Koyasu, A., see Tanaka, N. **18**, 275
Kubisz, L., see Marzec, E. **18**, 27
Kuciel, R., A. Mazurkiewicz, W.S. Ostrowski, The folding intermediate of reversibly denatured human prostatic acid phosphatase **18**, 167
Kumar, T.K.S., see Jayaraman, G. **18**, 303
Kunugi, S., see Tanaka, N. **18**, 33, 275

Lefebvre, J., see Hargreaves, J. **18**, 69
Lemdjabar, H., see Meddahi, A. **18**, 141
Lin, W.Y., see Jayaraman, G. **18**, 303
Llorente, P., see Montero, C. **18**, 255

Mandal, A.B., see Rose, C. **18**, 41
Marzec, E., L. Kubisz, F. Jaroszyk, Dielectric studies of proton transport in air-dried fully calcified and decalcified bone **18**, 27
Matsuura, H., see Shigemasa, Y. **18**, 237
Mazurkiewicz, A., see Kuciel, R. **18**, 167
McCullagh, C.M., R. Gupta, A.M. Jamieson, J. Blackwell, Gelation of fractionated canine submaxillary mucin in a chaotropic solvent **18**, 247
Meddahi, A., H. Lemdjabar, J.-P. Caruelle, D. Barritault, W. Hornebeck, FGF protection and inhibition of human neutrophil elastase by carboxymethyl benzylamide sulfonate dextran derivatives **18**, 141
Menendez, M., see Montero, C. **18**, 255
Milas, M., see Bozzi, L. **18**, 9, 83
Milas, M., see Fringant, C. **18**, 281
Milas, M., W.F. Reed, S. Printz, Conformations and flexibility of native and re-natured xanthan in aqueous solutions **18**, 211
Minoura, N., see Gotoh, Y. **18**, 19
Mischenko, N., see Denef, B. **18**, 151
Mitchell, J.R., see Easa, A.M. **18**, 297
Monkos, K., Viscosity of bovine serum albumin aqueous solutions as a function of temperature and concentration **18**, 61
Montero, C., P. Llorente, L. Argomaniz, M. Menendez, Thermal stability of *Artemia* HGPRT: effect of substrates on inactivation kinetics **18**, 255
Morris, V.J., see Ridout, M.J. **18**, 5
Murabayashi, S., see Kakuchi, T. **18**, 147

Nishi, N., see Iwata, K. **18**, 149
Nishimura, S.-I., see Iwata, K. **18**, 149

Ostrowski, W.S., see Kuciel, R. **18**, 167

Perez, J.J., see Fernandez, Y. **18**, 263
Piculell, L., see Borgström, J. **18**, 223
Pombo, C., G. Prieto, J.M. del Río, F. Sarmiento, M.N. Jones, Conformational transition of insulin induced by *n*-alkyltrimethylammonium bromides in aqueous solution **18**, 55
Popineau, Y., see Hargreaves, J. **18**, 69
Prieto, G., see Pombo, C. **18**, 55
Printz, S., see Milas, M. **18**, 211
Putaux, J.L., see André, I. **18**, 195

Qasba, P.K., see Balaji, P.V. **18**, 101

Rao, V.S.R., see Balaji, P.V. **18**, 101
Reed, W.F., see Milas, M. **18**, 211
Reynaers, H., see Denef, B. **18**, 151
Ricart, J.M., see Fernandez, Y. **18**, 263
Ridout, M.J., S. Garza, G.J. Brownsey, V.J. Morris, Mixed iota — kappa carrageenan gels **18**, 5
Rinaudo, M., see Bozzi, L. **18**, 9, 83
Rinaudo, M., see Fringant, C. **18**, 281
Rose, C., A.B. Mandal, The interaction of sodium dodecyl sulfate and urea with cat-fish collagen solutions in acetate buffer: hydrodynamic and thermodynamic studies **18**, 41

Saimoto, H., see Shigemasa, Y. **18**, 237
Sarmiento, F., see Pombo, C. **18**, 55
Sashiwa, H., see Shigemasa, Y. **18**, 237
Satoh, T., see Kakuchi, T. **18**, 147
Sawadaishi, T., see Iwata, K. **18**, 149
Shah, M.A., S. Tayyab, R. Ali, Probing structure-activity relationship in diamine oxidase — reactivities of lysine and arginine residues **18**, 77
Shigemasa, Y., H. Matsuura, H. Sashiwa, H. Saimoto, Evaluation of different absorbance ratios from infrared spectroscopy for analyzing the degree of deacetylation in chitin **18**, 237
Singh, K., B. Groth-Vasselli, P.N. Farnsworth, Electrostatic parameters of the theoretical quaternary structure of bovine α-crystallin **18**, 205
Sivaraman, T., see Jayaraman, G. **18**, 303
Smidsrød, O., see Christensen, B.E. **18**, 93
Solimani, R., Quercetin and DNA in solution: analysis of the dynamics of their interaction with a linear dichroism study **18**, 287

Talmon, Y., see Borgström, J. **18**, 223
Tanaka, N., A. Koyasu, I. Kobayashi, S. Kunugi, Pressure-induced change in proteins studied through chemical modifications **18**, 275
Tanaka, N., S. Kunugi, Effect of pressure on the deuterium exchange reaction of α-lactalbumin and β-lactoglobulin **18**, 33
Taravel, F.R., see André, I. **18**, 195
Taylor, A.J., see Easa, A.M. **18**, 297
Tayyab, S., see Shah, M.A. **18**, 77
Timmermans, J.W., see André, I. **18**, 195
Tokura, S., see Iwata, K. **18**, 149
Tsukada, M., see Gotoh, Y. **18**, 19

Umeda, S., see Kakuchi, T. **18**, 147

Viebke, C., see Borgström, J. **18**, 223

Wajnberg, E., G. Bemski, L.J. El-Jaick, O.C. Alves, Nitrosyl hemoglobins: EPR above 80 K **18**, 231
Wang, B., see Zeng, H.-h. **18**, 161
Wang, K., see Zeng, H.-h. **18**, 161
Worthington, C.R., G.F. Elliott, Muscle contraction: the step-size distance and the impulse-time per ATP **18**, 123

Yamashita, K., see Zhang, M. **18**, 307
Yokota, K., see Kakuchi, T. **18**, 147
Yu, C., see Jayaraman, G. **18**, 303
Yuhta, T., see Kakuchi, T. **18**, 147

Zeng, H.-h., K. Wang, B. Wang, Y. Zhang, Studies on the thermokinetic characterisation of actin polymerization and the effect of cisplatin **18**, 161
Zhang, M., K. Yamashita, K. Kadowaki, S. Hirano, Some novel *N*-fatty acyl derivatives of a microbial galactosaminan **18**, 307
Zhang, Y., see Zeng, H.-h. **18**, 161

ELSEVIER

International Journal of Biological Macromolecules
18 (1996) 317–320

INTERNATIONAL JOURNAL OF
Biological
Macromolecules
STRUCTURE, FUNCTION AND INTERACTIONS

Subject index

Volume 18 (1996)

A microbial polysaccharide; (1-→4)-α-D-Galactosaminan; *N*-Fatty acyl derivatives; *N*-Acylation **18**, 307

Acetan; Xanthan; Xylinan; Cellulase; Endoglucanase; *Trichoderma reesei*; Partially hydrolysed xanthan **18**, 93

***N*-Acetyl-chito-oligosaccharides**; Silk fibroin; Chemical modification **18**, 19

Actin; Muscle contraction; Myosin **18**, 123

Actin; Polymerization; Cisplatin; Thermokinetics **18**, 161

Activation energy; Calcified and decalcified bone; Relaxation time **18**, 27

Active site; Tryptophan; Water **18**, 189

Activity coefficient; Bacterial polysaccharide; Polyelectrolyte; Conformational transition; Intrinsic viscosity; Radius of gyration; Persistence length **18**, 9

***N*-Acylation**; A microbial polysaccharide; (1-→4)-α-D-Galactosaminan; *N*-Fatty acyl derivatives **18**, 307

Aggregation; Cryo-TEM; Carrageenan; Microstructure; Biopolymer gel **18**, 223

All β-sheet protein; Thermal denaturation; Cardiotoxin III; Stable intermediate **18**, 303

(1→6)-2,5-Anhydro-D-glucitol; Proliferative response; Immunomodulation **18**, 147

Aqueous solutions; Native; Renatured; Xanthan; Multidetector SEC **18**, 211

Arrhenius formula; Viscosity; Bovine serum albumin; Huggins coefficient **18**, 61

Artemia; Hypoxanthine-guanine phosphoribosyltransferase; Thermal stability **18**, 255

Asn-linked oligosaccharide; Carbohydrates; Conformation; Hybrid type; Complex type; Oligosaccharide processing **18**, 101

Bacterial polysaccharide; Elastic gel; Mechanism of gelation; Rheology **18**, 83

Bacterial polysaccharide; Polyelectrolyte; Activity coefficient; Conformational transition; Intrinsic viscosity; Radius of gyration; Persistence length **18**, 9

Biopolymer gel; Cryo-TEM; Carrageenan; Aggregation; Microstructure **18**, 223

Bis-cystine peptides; Cyclic peptides; De novo peptide design; Conformational study; Peptide cavitands **18**, 263

Bovine serum albumin; Viscosity; Arrhenius formula; Huggins coefficient **18**, 61

Calcified and decalcified bone; Relaxation time; Activation energy **18**, 27

Carbohydrates; Conformation; Asn-linked oligosaccharide; Hybrid type; Complex type; Oligosaccharide processing **18**, 101

Cardiotoxin III; Thermal denaturation; Stable intermediate; All β-sheet protein **18**, 303

Carrageenan; Cryo-TEM; Aggregation; Microstructure; Biopolymer gel **18**, 223

Carrageenan; SAXS; Polyelectrolyte behaviour; Fluctuation structural model **18**, 151

Cat-fish collagen; Collagen, assymmetry, geometry, stability; Energy changes, from coiled-coil to random coil conformation; Thermodynamic studies **18**, 41

Cellulase; Xanthan; Xylinan; Acetan; Endoglucanase; *Trichoderma reesei*; Partially hydrolysed xanthan **18**, 93

Chemical modification; Diamine oxidase; Trinitrophenylation; Phenylglyoxal **18**, 77

Chemical modification; Silk fibroin; *N*-Acetyl-chito-oligosaccharides **18**, 19

Chitin; IR spectroscopy; ^{1}H-NMR spectroscopy; Degree of deacetylation; Chitosan **18**, 237

Chitosan; IR spectroscopy; ^{1}H-NMR spectroscopy; Degree of deacetylation; Chitin **18**, 237

Cisplatin; Actin; Polymerization; Thermokinetics **18**, 161

Collagen, assymmetry, geometry, stability; Cat-fish collagen; Energy changes, from coiled-coil to random coil conformation; Thermodynamic studies **18**, 41

0141-8130/96/$15.00 © 1996 Elsevier Science B.V. All rights reserved

Complex type; Carbohydrates; Conformation; Asn-linked oligosaccharide; Hybrid type; Oligosaccharide processing **18**, 101

Conformation; Carbohydrates; Asn-linked oligosaccharide; Hybrid type; Complex type; Oligosaccharide processing **18**, 101

Conformation; Insulin; Solution transitions **18**, 55

Conformational study; Cyclic peptides; De novo peptide design; Bis-cystine peptides; Peptide cavitands **18**, 263

Conformational transition; Bacterial polysaccharide; Polyelectrolyte; Activity coefficient; Intrinsic viscosity; Radius of gyration; Persistence length **18**, 9

Cryo-TEM; Carrageenan; Aggregation; Microstructure; Biopolymer gel **18**, 223

α-Crystallin; Quaternary structure; Electrostatic potential; Effective charge; Hydrodynamic volume; Ionic strength **18**, 205

Cyclic peptides; De novo peptide design; Bis-cystine peptides; Conformational study; Peptide cavitands **18**, 263

Dansylation; Pressure; Denaturation of proteins; α-Lactalbumin; β-Lactoglobulin; Modification of proteins **18**, 275

De novo peptide design; Cyclic peptides; Bis-cystine peptides; Conformational study; Peptide cavitands **18**, 263

Degree of deacetylation; IR spectroscopy; ^{1}H-NMR spectroscopy; Chitin; Chitosan **18**, 237

Denaturation; Pressure; Deuterium; α-Lactalbumin; β-Lactoglobulin **18**, 33

Denaturation of proteins; Pressure; α-Lactalbumin; β-Lactoglobulin; Modification of proteins; Dansylation **18**, 275

Deuterium; Pressure; α-Lactalbumin; β-Lactoglobulin; Denaturation **18**, 33

Dextran derivatives; Human neutrophil elastase; Heparan-like repair **18**, 141

Diamine oxidase; Chemical modification; Trinitrophenylation; Phenylglyoxal **18**, 77

Diffusion coefficient; Maillard reaction; Sedimentation coefficient **18**, 297

DNA-alginate film; Intercalating pollutant; Filter **18**, 149

DNA-quercetin interaction; Flow-Linear Dichroism; Planarity and hydrophobicity **18**, 287

Effective charge; α-Crystallin; Quaternary structure; Electrostatic potential; Hydrodynamic volume; Ionic strength **18**, 205

Elastic gel; Bacterial polysaccharide; Mechanism of gelation; Rheology **18**, 83

Electron diffraction; Inulin; Single crystal; Structural analysis; Hydration **18**, 195

Electron microscopy; V-amylose; Single crystal; Polysaccharides **18**, 115

Electrostatic potential; α-Crystallin; Quaternary structure; Effective charge; Hydrodynamic volume; Ionic strength **18**, 205

Endoglucanase; Xanthan; Xylinan; Acetan; Cellulase; *Trichoderma reesei*; Partially hydrolysed xanthan **18**, 93

Energy changes, from coiled-coil to random coil conformation; Cat-fish collagen; Collagen, assymmetry, geometry, stability; Thermodynamic studies **18**, 41

EPR; Nitrosyl hemoproteins **18**, 231

ESR spectroscopy; Gluten; Glutenin subunits; Viscoelasticity; Mobility **18**, 69

***N*-Fatty acyl derivatives**; A microbial polysaccharide; (1-→4)-α-D-Galactosaminan; *N*-Acylation **18**, 307

Filter; DNA-alginate film; Intercalating pollutant **18**, 149

Flow-Linear Dichroism; DNA-quercetin interaction; Planarity and hydrophobicity **18**, 287

Fluctuation structural model; Carrageenan; SAXS; Polyelectrolyte behaviour **18**, 151

Folding intermediate; Phosphates; Prostatic phosphatase; Subunit reassociation **18**, 167

Freezing water; Hydration; Solvation; Polysaccharide-water interaction **18**, 281

(1-→4)-α-D-Galactosaminan; A microbial polysaccharide; *N*-Fatty acyl derivatives; *N*-Acylation **18**, 307

Gelation; Gels; Iota carrageenan; Kappa carrageenan; Mixed gels **18**, 5

Gelation; Mucin glycoproteins; Rheology **18**, 247

Gels; Gelation; Iota carrageenan; Kappa carrageenan; Mixed gels **18**, 5

Gluten; Glutenin subunits; Viscoelasticity; Mobility; ESR spectroscopy **18**, 69

Glutenin subunits; Gluten; Viscoelasticity; Mobility; ESR spectroscopy **18**, 69

^{1}H-NMR spectroscopy; IR spectroscopy; Degree of deacetylation; Chitin; Chitosan **18**, 237

Heparan-like repair; Dextran derivatives; Human neutrophil elastase **18**, 141

Huggins coefficient; Viscosity; Bovine serum albumin; Arrhenius formula **18**, 61

Human neutrophil elastase; Dextran derivatives; Heparan-like repair **18**, 141

Hybrid type; Carbohydrates; Conformation; Asn-linked oligosaccharide; Complex type; Oligosaccharide processing **18**, 101

Hydration; Inulin; Single crystal; Electron diffraction; Structural analysis **18**, 195

Hydration; Solvation; Freezing water; Polysaccharide-water interaction **18**, 281

Hydrodynamic volume; α-Crystallin; Quaternary structure; Electrostatic potential; Effective charge; Ionic strength **18**, 205

Hypoxanthine-guanine phosphoribosyltransferase; Thermal stability; *Artemia* **18**, 255

Immunomodulation; (1→6)-2,5-Anhydro-D-glucitol; Proliferative response **18**, 147

Insulin; Conformation; Solution transitions **18**, 55

Intercalating pollutant; DNA-alginate film; Filter **18**, 149

Intrinsic viscosity; Bacterial polysaccharide; Polyelectrolyte; Activity coefficient; Conformational transition; Radius of gyration; Persistence length **18**, 9

Inulin; Single crystal; Electron diffraction; Structural analysis; Hydration **18**, 195

Ionic strength; α-Crystallin; Quaternary structure; Electrostatic potential; Effective charge; Hydrodynamic volume **18**, 205

Iota carrageenan; Gels; Gelation; Kappa carrageenan; Mixed gels **18**, 5

IR spectroscopy; ^{1}H-NMR spectroscopy; Degree of deacetylation; Chitin; Chitosan **18**, 237

Kappa carrageenan; Gels; Gelation; Iota carrageenan; Mixed gels **18**, 5

α-Lactalbumin; Pressure; Denaturation of proteins; β-Lactoglobulin; Modification of proteins; Dansylation **18**, 275

α-Lactalbumin; Pressure; Deuterium; β-Lactoglobulin; Denaturation **18**, 33

β-Lactoglobulin; Pressure; Denaturation of proteins; α-Lactalbumin; Modification of proteins; Dansylation **18**, 275

β-Lactoglobulin; Pressure; Deuterium; α-Lactalbumin; Denaturation **18**, 33

Maillard reaction; Sedimentation coefficient; Diffusion coefficient **18**, 297

Main-chain topology; Simulated evolution; Protein structure prediction **18**, 1

Mechanism of gelation; Bacterial polysaccharide; Elastic gel; Rheology **18**, 83

Microstructure; Cryo-TEM; Carrageenan; Aggregation; Biopolymer gel **18**, 223

Mixed gels; Gels; Gelation; Iota carrageenan; Kappa carrageenan **18**, 5

Mobility; Gluten; Glutenin subunits; Viscoelasticity; ESR spectroscopy **18**, 69

Modification of proteins; Pressure; Denaturation of proteins; α-Lactalbumin; β-Lactoglobulin; Dansylation **18**, 275

Molar mass determination; Mucus glycoproteins; Size exclusion chromatography/multi angle laser light scattering **18**, 133

Mucin glycoproteins; Gelation; Rheology **18**, 247

Mucus glycoproteins; Size exclusion chromatography/multi angle laser light scattering; Molar mass determination **18**, 133

Multidetector SEC; Native; Renatured; Xanthan; Aqueous solutions **18**, 211

Muscle contraction; Actin; Myosin **18**, 123

Myosin; Muscle contraction; Actin **18**, 123

Native; Renatured; Xanthan; Aqueous solutions; Multidetector SEC **18**, 211

Nitrosyl hemoproteins; EPR **18**, 231

Oligosaccharide processing; Carbohydrates; Conformation; Asn-linked oligosaccharide; Hybrid type; Complex type **18**, 101

Partially hydrolysed xanthan; Xanthan; Xylinan; Acetan; Cellulase; Endoglucanase; *Trichoderma reesei* **18**, 93

Peptide cavitands; Cyclic peptides; De novo peptide design; Bis-cystine peptides; Conformational study **18**, 263

Persistence length; Bacterial polysaccharide; Polyelectrolyte; Activity coefficient; Conformational transition; Intrinsic viscosity; Radius of gyration **18**, 9

Phenylglyoxal; Diamine oxidase; Chemical modification; Trinitrophenylation **18**, 77

Phosphates; Prostatic phosphatase; Folding intermediate; Subunit reassociation **18**, 167

Planarity and hydrophobicity; Flow-Linear Dichroism; DNA-quercetin interaction **18**, 287

Polyelectrolyte; Bacterial polysaccharide; Activity coefficient; Conformational transition; Intrinsic viscosity; Radius of gyration; Persistence length **18**, 9

Polyelectrolyte behaviour; Carrageenan; SAXS; Fluctuation structural model **18**, 151

Polymerization; Actin; Cisplatin; Thermokinetics **18**, 161

Polysaccharide-water interaction; Hydration; Solvation; Freezing water **18**, 281

Polysaccharides; V-amylose; Single crystal; Electron microscopy **18**, 115

Pressure; Denaturation of proteins; α-Lactalbumin; β-Lactoglobulin; Modification of proteins; Dansylation **18**, 275

Pressure; Deuterium; α-Lactalbumin; β-Lactoglobulin; Denaturation **18**, 33

Proliferative response; (1→6)-2,5-Anhydro-D-glucitol; Immunomodulation **18**, 147

Prostatic phosphatase; Phosphates; Folding intermediate; Subunit reassociation **18**, 167

Protein structure prediction; Simulated evolution; Main-chain topology **18**, 1

Quaternary structure; α-Crystallin; Electrostatic potential; Effective charge; Hydrodynamic volume; Ionic strength **18**, 205

Radius of gyration; Bacterial polysaccharide; Polyelectrolyte; Activity coefficient; Conformational transition; Intrinsic viscosity; Persistence length **18**, 9

Relaxation time; Calcified and decalcified bone; Activation energy **18**, 27

Renatured; Native; Xanthan; Aqueous solutions; Multidetector SEC **18**, 211

Rheology; Bacterial polysaccharide; Elastic gel; Mechanism of gelation **18**, 83

Rheology; Gelation; Mucin glycoproteins **18**, 247

SAXS; Carrageenan; Polyelectrolyte behaviour; Fluctuation structural model **18**, 151

Sedimentation coefficient; Maillard reaction; Diffusion coefficient **18**, 297

Silk fibroin; Chemical modification; *N*-Acetyl-chito-oligosaccharides **18**, 19

Simulated evolution; Protein structure prediction; Main-chain topology **18**, 1

Single crystal; Inulin; Electron diffraction; Structural analysis; Hydration **18**, 195

Single crystal; V-amylose; Electron microscopy; Polysaccharides **18**, 115

Size exclusion chromatography/multi angle laser light scattering; Mucus glycoproteins; Molar mass determination **18**, 133

Solution transitions; Conformation; Insulin **18**, 55

Solvation; Hydration; Freezing water; Polysaccharide-water interaction **18**, 281

Stable intermediate; Thermal denaturation; Cardiotoxin III; All β-sheet protein **18**, 303

Structural analysis; Inulin; Single crystal; Electron diffraction; Hydration **18**, 195

Subunit reassociation; Phosphates; Prostatic phosphatase; Folding intermediate **18**, 167

Thermal denaturation; Cardiotoxin III; Stable intermediate; All β-sheet protein **18**, 303

Thermal stability; Hypoxanthine-guanine phosphoribosyltransferase; *Artemia* **18**, 255

Thermodynamic studies; Cat-fish collagen; Collagen, assymmetry, geometry, stability; Energy changes, from coiled-coil to random coil conformation **18**, 41

Thermokinetics; Actin; Polymerization; Cisplatin **18**, 161

Trichoderma reesei; Xanthan; Xylinan; Acetan; Cellulase; Endoglucanase; Partially hydrolysed xanthan **18**, 93

Trinitrophenylation; Diamine oxidase; Chemical modification; Phenylglyoxal **18**, 77

Tryptophan; Water; Active site **18**, 189

V-amylose; Single crystal; Electron microscopy; Polysaccharides **18**, 115

Viscoelasticity; Gluten; Glutenin subunits; Mobility; ESR spectroscopy **18**, 69

Viscosity; Bovine serum albumin; Arrhenius formula; Huggins coefficient **18**, 61

Water; Tryptophan; Active site **18**, 189

Xanthan; Native; Renatured; Aqueous solutions; Multidetector SEC **18**, 211

Xanthan; Xylinan; Acetan; Cellulase; Endoglucanase; *Trichoderma reesei*; Partially hydrolysed xanthan **18**, 93

Xylinan; Xanthan; Acetan; Cellulase; Endoglucanase; *Trichoderma reesei*; Partially hydrolysed xanthan **18**, 93